


PVC Flooring with Black Non-woven Polyester Felt

These PVC floorings are manufactured with non-woven polyester felt backing. These flooring in rolls are available in solid colours and printed designs. Embossing of Antiskid flooring can be provided.


Total Thickness: 1.00 mm, 1.20 mm, 1.30 mm, 1.50 mm. 1.80 mm and 2.0 mm
(Includes PVC and Polyester backing)

Width available: 1.00 mtr, 1.50 mtr, 1.83 mtr, 2.0 mtr

Application areas: Mainly used as Automobile Floor Mats and as floor covering over wooden floors.



CODE: PF050100F
THICKNESS: 1.30 MM
EMBOSSING: PPE-256



CODE: PF050100F
THICKNESS: 1.30 MM
EMBOSSING: PPE-250

PVC Flooring with Black Non-woven Polyester Felt


These PVC floorings are manufactured with non-woven polyester felt backing. These flooring in rolls are available in solid colours and printed designs. Embossing of Antiskid flooring can be provided.

Total Thickness: 1.00 mm, 1.20 mm, 1.30 mm, 1.50 mm, 1.80 mm and 2.0 mm

(Includes PVC and Polyester backing)

Width available: 1.00 mtr, 1.50 mtr, 1.83 mtr, 2.0 mtr

Application areas: Mainly used as Automobile Floor Mats and as floor covering over wooden floors.



CODE: PF075100F
THICKNESS: 1.50 MM
EMBOSSING: PPE-216



CODE: PF045100F
THICKNESS: 1.20 MM
EMBOSSING: PPE-468

PVC Flooring with Black Non-woven Polyester Felt


These PVC floorings are manufactured with non-woven polyester felt backing. These flooring in rolls are available in solid colours and printed designs. Embossing of Antiskid flooring can be provided.

Total Thickness: 1.00 mm, 1.20 mm, 1.30 mm, 1.50 mm, 1.80 mm and 2.0 mm

(Includes PVC and Polyester backing)

Width available: 1.00 mtr, 1.50 mtr, 1.83 mtr, 2.0 mtr

Application areas: Mainly used as Automobile Floor Mats and as floor covering over wooden floors.



PVC Flooring with Black Non-woven Polyester Felt


These PVC floorings are manufactured with non-woven polyester felt backing. These flooring in rolls are available in solid colours and printed designs. Embossing of Antiskid flooring can be provided.

Total Thickness: 1.00 mm, 1.20 mm, 1.30 mm, 1.50 mm, 1.80 mm and 2.0 mm

(Includes PVC and Polyester backing)

Width available: 1.00 mtr, 1.50 mtr, 1.83 mtr, 2.0 mtr

Application areas: Mainly used as Automobile Floor Mats and as floor covering over wooden floors.



PVC Flooring with Black Non-woven Polyester Felt



These PVC floorings are manufactured with non-woven polyester felt backing. These flooring in rolls are available in solid colours and printed designs. Embossing of Antiskid flooring can be provided.





Total Thickness: 1.00 mm, 1.20 mm, 1.30 mm, 1.50 mm. 1.80 mm and 2.0 mm






(Includes PVC and Polyester backing)

Width available: 1.00 mtr, 1.50 mtr, 1.83 mtr, 2.0 mtr

Application areas: Mainly used as Automobile Floor Mats and as floor covering over wooden floor



			
Lt. Blue	Lt. Grey	Black	Blue
			
Brown	C. Gold	Cork White Black	Dark Grey
			
Dark Maroon	Lt. Maroon	N. Blue	Red
			
Sand	Maroon		

			
Lt. Blue	Lt. Grey	Black	Blue
			
Brown	C. Gold	Cork White Black	Dark Grey
			
Dark Maroon	Lt. Maroon	N. Blue	Red
			
Sand	Maroon		